



EMI Filters > Multi-Function Inlet Filters > CORCOM L SERIES MULTI-FUNCTION INLET FIL



Filter Type: **Power Entry Module**

Input Voltage Selection: **Single AC**

Filter Switch Type: **DPST**

Filter Shield Type: **Filter Shield**

Mount Angle: **Vertical**

All CORCOM L SERIES MULTI-FUNCTION INLET FIL (1)

Features

Product Type Features

Ground Choke Option	No
Ground Option	None
Filter Type	Power Entry Module
Filter Switch Type	DPST
Filter Input Termination Type	IEC
Filter Output Termination Type	.110" FASTON
Filtering Requirements	Filtered
Filter Connector Type	IEC 320/C-14

Configuration Features

Fuse Options	Dual
--------------	------

Electrical Characteristics

Input Voltage Selection	Single AC
Leakage Current (Max) (120VAC, 60Hz)	250 μ A
Leakage Current (Max) (250VAC, 50Hz)	500 μ A
Filter Current Rating	2 A
Voltage Rating (Max)	120 VAC, 240 VAC

Body Features

--	--



Filter Shield Type	Filter Shield
--------------------	---------------

Mechanical Attachment

Mount Angle	Vertical
Filter Mount Style	Flanged

Usage Conditions

Operating Temperature Range	-10 – 40 °C
-----------------------------	-------------

Other

Comment	Voltage Fixed
---------	---------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series | Corcom L



Filter Accessories(1)



Multi-Function Inlet Filters(1)

Customers Also Bought



TE Part #5788794-2
25 HTMSFL PLUG RA 318 (IN,BL)



TE Part #4-1609155-2
PE0S0DMXE=C7106



TE Part #6609104-4
PE0S0SS60=C1129



TE Part #2176408-6
3560 680R 5%



TE Part #8-2176305-5
RP 1E 0.1W 806R 0.1% 25PPM 5K RL



TE Part #2-1611004-4
3100-20T18999CL=40A 2P 120V PR



TE Part #YDTS26F21-35SNC001
PLUG ASSY



TE Part #ZPF000000000015789
DTB 26 B 11-01 AN

Documents

Product Drawings
2EDL1SM M0=F7366L

English

CAD Files
Customer View Model
ENG_CVM_CVM_6609122-4_B.2d_dxf.zip

English

3D PDF

3D

Customer View Model
ENG_CVM_CVM_6609122-4_B.3d_igs.zip

English

Customer View Model
ENG_CVM_CVM_6609122-4_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.



Datasheets & Catalog Pages

1654001_CORCOM_PRODUCT_GUIDE

English

1654001_CORCOM_PRODUCT_GUIDE_L_SERIES

English

Corcom Combined Selector Charts

English

Agency Approvals

UL Report

English