

VERSAFIT-1-0-SP.

✓ ACTIVE

Raychem Versafit

TE Internal #: NB14284001

Raychem Versafit, Heat Shrink Tubing, Black, Single Wall, 26.8 mm


[1.055 in] Expanded Inside, .5 in [12.7 mm] Recovered Inside, 2:1

Shrink Ratio

[View on TE.com >](#)



Heat Shrink Tubing



Primary Product Color: **Black**

Wall Type: **Single**

Expanded Inside Diameter (Min): **26.8 mm [1.055 in]**

Recovered Inside Diameter (Max): **12.7 mm [.5 in]**

Shrink Ratio: **2:1**

Features

Product Type Features

Product Family	VERSAFIT
Wall Type	Single

Electrical Characteristics

Voltage (Max)	.6 kV
---------------	-------

Body Features

Fluid Type	Aviation Fuel, Chemicals/Solvents, De-Icing Fluid, Hydraulic Fluid, Lubricating Oil, Water
Primary Product Color	Black
Shrink Ratio	2:1
Primary Product Material	Irradiated Modified Polyolefin
Flexibility	Very Flexible

Dimensions

Recovered Wall Thickness (Tolerance)	.25 mm[.01 in]
--------------------------------------	----------------



Recovered Wall Thickness (Nominal)	.88 mm[.035 in]
Expanded Inside Diameter (Min)	26.8 mm[1.055 in]
Recovered Inside Diameter (Max)	12.7 mm[.5 in]
Heat Shrink Tubing Size Range	12.7 – 26.8 mm[.5 – 1.055 in]

Usage Conditions

Shrink Temperature (Min)	70 °C
Fluid Resistance	Splash Protection
Heat Shrink Tubing Flammability	Highly Flame-Retardant
Operating Temperature Range	-55 – 135 °C
Heat Shrink Tubing Resistance	Fluids, Strain Relief, Wrinkling
Recovery Temperature	90 °C

Product Availability

Applicable Region	Global
-------------------	--------

Packaging Features

Packaging Method	Reel
------------------	------

Other

Meets Low Outgassing Requirements	No
Product Source	Czech Republic

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2022 (223) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

VERSAFIT-1-0-SP.

Raychem Versafit, Heat Shrink Tubing, Black, Single Wall, 26.8 mm [1.055 in]
Expanded Inside, .5 in [12.7 mm] Recovered Inside, 2:1 Shrink Ratio



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # CJ2087-000
HL2010E-KIT-120V



TE Part # EG1114-000
CV1981-ST-230V1600W-EU

Also in the Series | Raychem Versafit




Heat Shrink Tubing(191)


Customers Also Bought




TE Part #DT04-08PB
REC, 8P, BLK, N, B



TE Part #C31369-000
WP-254064-10-9



TE Part #962876-3
MT2 REC 1.6 Contact SWS Au



TE Part #1-1534150-1
4POS MOS REC COD A

VERSAFIT-1-0-SP.

Raychem Versafit, Heat Shrink Tubing, Black, Single Wall, 26.8 mm [1.055 in]
Expanded Inside, .5 in [12.7 mm] Recovered Inside, 2:1 Shrink Ratio






TE Part #NB14842001
DWP-125-1/2-2-STK



TE Part #NB14922001
DWP-125-3/4-2-STK



TE Part #NB14932001
DWP-125-3/8-0-STK



TE Part #NB17744001
VERSAFIT-1-1/4-0-SP



TE Part #NB16934001
VERSAFIT-3/64-0-SP



TE Part #A37084-000
MP-381064-10-8A

Documents

Product Drawings

VERSAFIT-1-0-SP

English

Datasheets & Catalog Pages

VERSAFIT Pages from 9-1773447-9

English

Product Specifications

Quality Specification

English